


TEA TIME COLLECTION

design by Frank Boschman



TEA TIME SPECIFICATIONS

SIDE TABLE			Ref: TTM 40TL...	
	A: 0,019 m³ TK: 0,015 m³		A: 7 kg TK: 4 kg	
	108, 111, 130-131			



		TEAK	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM
		TK	WR	S	A	BR
CERAMIC	BS	TTM 40 TL CBS •	TTM 40 TL CWRBS •	TTM 40 TL CSBS •	TTM 40 TL CABS •	TTM 40 TL CBRBS •
	TG	TTM 40 TL CTG •	TTM 40 TL CWR TG •	TTM 40 TL CSTG •	TTM 40 TL CATG •	TTM 40 TL CBRTG •
	WUM	TTM 40 TL CWUM •	TTM 40 TL CWRWUM •	TTM 40 TL CSWUM •	TTM 40 TL CAWUM •	TTM 40 TL CBRWUM •
	ZUM	TTM 40 TL CZUM •	TTM 40 TL CWRZUM •	TTM 40 TL CSZUM •	TTM 40 TL CAZUM •	TTM 40 TL CBRZUM •
	TR	TTM 40 TL CTR •	TTM 40 TL CWRTR •	TTM 40 TL CSTR •	TTM 40 TL CATR •	TTM 40 TL CBRTR •
	PG	TTM 40 TL CPG •	TTM 40 TL CWRPG •	TTM 40 TL CSPG •	TTM 40 TL CAPG •	TTM 40 TL CBRPG •
	CL	TTM 40 TL CCL •	TTM 40 TL CWRCL •	TTM 40 TL CSCL •	TTM 40 TL CACL •	TTM 40 TL CBRCL •
	VB	TTM 40 TL CVB •	TTM 40 TL CWRVB •	TTM 40 TL CSVB •	TTM 40 TL CAVB •	TTM 40 TL CBRVB •
	NM	TTM 40 TL CNM •	TTM 40 TL CWRNM •	TTM 40 TL CSNM •	TTM 40 TL CANM •	TTM 40 TL CBRNM •
ENAMELED LAVA STONE	MO	TTM 40 TL VMO •	TTM 40 TL VWRMO •	TTM 40 TL VSMO •	TTM 40 TL VAMO •	TTM 40 TL VBRMO •
	DU	TTM 40 TL VDU •	TTM 40 TL VWRDU •	TTM 40 TL VSDU •	TTM 40 TL VADU •	TTM 40 TL VBRDU •
	LA	TTM 40 TL VLA •	TTM 40 TL VWRLA •	TTM 40 TL VSLA •	TTM 40 TL VALA •	TTM 40 TL VBRLA •
	JA	TTM 40 TL VJA •	TTM 40 TL VWRJA •	TTM 40 TL VSJA •	TTM 40 TL VAJA •	TTM 40 TL VBRJA •
	PE	TTM 40 TL VPE •	TTM 40 TL VWRPE •	TTM 40 TL VSPE •	TTM 40 TL VAPE •	TTM 40 TL VBRPE •
	SL	TTM 40 TL VSL •	TTM 40 TL VWRSL •	TTM 40 TL VSSL •	TTM 40 TL VASL •	TTM 40 TL VBRSL •
TEAK	TK	TTM 40 TL W •	TTM 40 TL WWR •	TTM 40 TL WS •	TTM 40 TL WA •	TTM 40 TL WBR •

TEA TIME SPECIFICATIONS

SIDE TABLE			Ref: TTM 60T...		
	A: 0,025 m³ TK: 0,027 m³		A: 12,2 kg TK: 8,04 kg		
	108, 111, 130-131				



		TEAK	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM
		TK	WR	S	A	BR
CERAMIC	BS	TTM 60 T CBS	TTM 60 T CWRBS	TTM 60 T CSBS	TTM 60 T CABS	TTM 60 T CBRBS
		•	•	•	•	•
	TG	TTM 60 T CTG	TTM 60 T CWR TG	TTM 60 T CSTG	TTM 60 T CATG	TTM 60 T CBRTG
		•	•	•	•	•
	WUM	TTM 60 T CWUM	TTM 60 T CWRWUM	TTM 60 T CSWUM	TTM 60 T CAWUM	TTM 60 T CBRWUM
		•	•	•	•	•
	ZUM	TTM 60 T CZUM	TTM 60 T CWRZUM	TTM 60 T CSZUM	TTM 60 T CAZUM	TTM 60 T CBRZUM
		•	•	•	•	•
	TR	TTM 60 T CTR	TTM 60 T CWRTR	TTM 60 T CSTR	TTM 60 T CATR	TTM 60 T CBRTR
		•	•	•	•	•
ENAMELED LAVA STONE	PG	TTM 60 T CPG	TTM 60 T CWRPG	TTM 60 T CSPG	TTM 60 T CAPG	TTM 60 T CBRPG
		•	•	•	•	•
	CL	TTM 60 T CCL	TTM 60 T CWRCL	TTM 60 T CSCL	TTM 60 T CACL	TTM 60 T CBRCL
		•	•	•	•	•
	VB	TTM 60 T CVB	TTM 60 T CWRVB	TTM 60 T CSVB	TTM 60 T CAVB	TTM 60 T CBRVB
		•	•	•	•	•
	NM	TTM 60 T CNM	TTM 60 T CWRNM	TTM 60 T CSNM	TTM 60 T CANM	TTM 60 T CBRNM
		•	•	•	•	•
	MO	TTM 60 T VMO	TTM 60 T VWRMO	TTM 60 T VSMO	TTM 60 T VAMO	TTM 60 T VBRMO
		•	•	•	•	•
ENAMELED LAVA STONE	DU	TTM 60 T VDU	TTM 60 T VWRDU	TTM 60 T VSDU	TTM 60 T VADU	TTM 60 T VBRDU
		•	•	•	•	•
	LA	TTM 60 T VLA	TTM 60 T VWRLA	TTM 60 T VSLA	TTM 60 T VALA	TTM 60 T VBRLA
		•	•	•	•	•
	JA	TTM 60 T VJA	TTM 60 T VWRJA	TTM 60 T VSJA	TTM 60 T VAJA	TTM 60 T VBRJA
		•	•	•	•	•
ENAMELED LAVA STONE	PE	TTM 60 T VPE	TTM 60 T VWRPE	TTM 60 T VSPE	TTM 60 T VAPE	TTM 60 T VBRPE
		•	•	•	•	•
	SL	TTM 60 T VSL	TTM 60 T VWRSL	TTM 60 T VSSL	TTM 60 T VASL	TTM 60 T VBRSL
		•	•	•	•	•
TEAK	TK	TTM 60 T W	TTM 60 T WWR	TTM 60 T WS	TTM 60 T WA	TTM 60 T WBR
		•	•	•	•	•

TEA TIME SPECIFICATIONS

SIDE TABLE			Ref: TTM 60TH...		
	A: 0,025 m³ TK: 0,029 m³		A: 12,5 kg TK: 8,02 kg		
	60				



		TEAK	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM
		TK	WR	S	A	BR
CERAMIC	BS	TTM 60 TH CBS •	TTM 60 TH CWRBS •	TTM 60 TH CSBS •	TTM 60 TH CABS •	TTM 60 TH CBRBS •
	TG	TTM 60 TH CTG •	TTM 60 TH CWR TG •	TTM 60 TH CSTG •	TTM 60 TH CATG •	TTM 60 TH CBR TG •
	WUM	TTM 60 TH CWUM •	TTM 60 TH CWRWUM •	TTM 60 TH CSWUM •	TTM 60 TH CAWUM •	TTM 60 TH CBRWUM •
	ZUM	TTM 60 TH CZUM •	TTM 60 TH CWRZUM •	TTM 60 TH CSZUM •	TTM 60 TH CAZUM •	TTM 60 TH CBRZUM •
	TR	TTM 60 TH CTR •	TTM 60 TH CWRTR •	TTM 60 TH CSTR •	TTM 60 TH CATR •	TTM 60 TH CBRTR •
	PG	TTM 60 TH CPG •	TTM 60 TH CWRPG •	TTM 60 TH CSPG •	TTM 60 TH CAPG •	TTM 60 TH CBRPG •
	CL	TTM 60 TH CCL •	TTM 60 TH CWRCL •	TTM 60 TH CSCL •	TTM 60 TH CACL •	TTM 60 TH CBRCL •
	VB	TTM 60 TH CVB •	TTM 60 TH CWRVB •	TTM 60 TH CSVB •	TTM 60 TH CAVB •	TTM 60 TH CBRVB •
	NM	TTM 60 TH CNM •	TTM 60 TH CWRNM •	TTM 60 TH CSNM •	TTM 60 TH CANM •	TTM 60 TH CBRNM •
ENAMELED LAVA STONE	MO	TTM 60 TH VMO •	TTM 60 TH VWRMO •	TTM 60 TH VSMO •	TTM 60 TH VAMO •	TTM 60 TH VBRMO •
	DU	TTM 60 TH VDU •	TTM 60 TH VWRDU •	TTM 60 TH VSDU •	TTM 60 TH VADU •	TTM 60 TH VBRDU •
	LA	TTM 60 TH VLA •	TTM 60 TH VWRLA •	TTM 60 TH VSLA •	TTM 60 TH VALA •	TTM 60 TH VBRLA •
	JA	TTM 60 TH VJA •	TTM 60 TH VWRJA •	TTM 60 TH VSJA •	TTM 60 TH VAJA •	TTM 60 TH VBRJA •
	PE	TTM 60 TH VPE •	TTM 60 TH VWRPE •	TTM 60 TH VSPE •	TTM 60 TH VAPE •	TTM 60 TH VBRPE •
	SL	TTM 60 TH VSL •	TTM 60 TH VWRS� •	TTM 60 TH VSSL •	TTM 60 TH VASL •	TTM 60 TH VBRSL •
TEAK	TK	TTM 60 TH W •	TTM 60 TH WWR •	TTM 60 TH WS •	TTM 60 TH WA •	TTM 60 TH WBR •

TEA TIME SPECIFICATIONS

SIDE TABLE			Ref: TTM 75T...		
	A: 0,031 m³ TK: 0,031 m³		A: 17 kg TK: 12 kg		



		TEAK	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM
		TK	WR	S	A	BR
CERAMIC	BS	TTM 75 T CBS	TTM 75 T CWRBS	TTM 75 T CSBS	TTM 75 T CABS	TTM 75 T CBRBS
		•	•	•	•	•
	TG	TTM 75 T CTG	TTM 75 T CWR TG	TTM 75 T CSTG	TTM 75 T CATG	TTM 75 T CBR TG
		•	•	•	•	•
	WUM	TTM 75 T CWUM	TTM 75 T CWRWUM	TTM 75 T CSWUM	TTM 75 T CAWUM	TTM 75 T CBRWUM
		•	•	•	•	•
	ZUM	TTM 75 T CZUM	TTM 75 T CWRZUM	TTM 75 T CSZUM	TTM 75 T CAZUM	TTM 75 T CBRZUM
		•	•	•	•	•
	TR	TTM 75 T CTR	TTM 75 T CWRTR	TTM 75 T CSTR	TTM 75 T CATR	TTM 75 T CBRTR
		•	•	•	•	•
	PG	TTM 75 T CPG	TTM 75 T CWRPG	TTM 75 T CSPG	TTM 75 T CAPG	TTM 75 T CBRPG
		•	•	•	•	•
	CL	TTM 75 T CCL	TTM 75 T CWRCL	TTM 75 T CSCL	TTM 75 T CACL	TTM 75 T CBRCL
		•	•	•	•	•
	VB	TTM 75 T CVB	TTM 75 T CWRVB	TTM 75 T CSVB	TTM 75 T CAVB	TTM 75 T CBRVB
		•	•	•	•	•
	NM	TTM 75 T CNM	TTM 75 T CWRNM	TTM 75 T CSNM	TTM 75 T CANM	TTM 75 T CBRNM
		•	•	•	•	•

SIDE TABLE			Ref: TTM 75TH ...		
	A: 0,03 m³ TK: 0,032 m³		A: 17,3 kg TK: 12,1 kg		



		TEAK	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM
		TK	WR	S	A	BR
CERAMIC	BS	TTM 75 TH CBS	TTM 75 TH CWRBS	TTM 75 TH CSBS	TTM 75 TH CABS	TTM 75 TH CBRBS
		•	•	•	•	•
	TG	TTM 75 TH CTG	TTM 75 TH CWR TG	TTM 75 TH CSTG	TTM 75 TH CATG	TTM 75 TH CBR TG
		•	•	•	•	•
	WUM	TTM 75 TH CWUM	TTM 75 TH CWRWUM	TTM 75 TH CSWUM	TTM 75 TH CAWUM	TTM 75 TH CBRWUM
		•	•	•	•	•
	ZUM	TTM 75 TH CZUM	TTM 75 TH CWRZUM	TTM 75 TH CSZUM	TTM 75 TH CAZUM	TTM 75 TH CBRZUM
		•	•	•	•	•
	TR	TTM 75 TH CTR	TTM 75 TH CWRTR	TTM 75 TH CSTR	TTM 75 TH CATR	TTM 75 TH CBRTR
		•	•	•	•	•
	PG	TTM 75 TH CPG	TTM 75 TH CWRPG	TTM 75 TH CSPG	TTM 75 TH CAPG	TTM 75 TH CBRPG
		•	•	•	•	•
	CL	TTM 75 TH CCL	TTM 75 TH CWRCL	TTM 75 TH CSCL	TTM 75 TH CACL	TTM 75 TH CBRCL
		•	•	•	•	•
	VB	TTM 75 TH CVB	TTM 75 TH CWRVB	TTM 75 TH CSVB	TTM 75 TH CAVB	TTM 75 TH CBRVB
		•	•	•	•	•
	NM	TTM 75 TH CNM	TTM 75 TH CWRNM	TTM 75 TH CSNM	TTM 75 TH CANM	TTM 75 TH CBRNM
		•	•	•	•	•

TEA TIME SPECIFICATIONS

SIDE TABLE			Ref: TTM 100T...	
	A: 0,4 m³ TK: 0,042 m³		A: 17,4 kg TK: 13 kg	
	63			



		TEAK	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM
		TK	WR	S	A	BR
CERAMIC	BS	TTM 100 T CBS	TTM 100 T CWRBS	TTM 100 T CSBS	TTM 100 T CABS	TTM 100 T CBRBS
		•	•	•	•	•
	TG	TTM 100 T CTG	TTM 100 T CWR TG	TTM 100 T CSTG	TTM 100 T CATG	TTM 100 T CBR TG
		•	•	•	•	•
	WUM	TTM 100 T CWUM	TTM 100 T CWRWUM	TTM 100 T CSWUM	TTM 100 T CAWUM	TTM 100 T CBRWUM
		•	•	•	•	•
	ZUM	TTM 100 T CZUM	TTM 100 T CWRZUM	TTM 100 T CSZUM	TTM 100 T CAZUM	TTM 100 T CBRZUM
		•	•	•	•	•
	TR	TTM 100 T CTR	TTM 100 T CWRTR	TTM 100 T CSTR	TTM 100 T CATR	TTM 100 T CBRTR
		•	•	•	•	•
	PG	TTM 100 T CPG	TTM 100 T CWRPG	TTM 100 T CSPG	TTM 100 T CAPG	TTM 100 T CBRPG
		•	•	•	•	•
	CL	TTM 100 T CCL	TTM 100 T CWRCL	TTM 100 T CSCL	TTM 100 T CACL	TTM 100 T CBRCL
		•	•	•	•	•
	VB	TTM 100 T CVB	TTM 100 T CWRVB	TTM 100 T CSVB	TTM 100 T CAVB	TTM 100 T CBRVB
		•	•	•	•	•
	NM	TTM 100 T CNM	TTM 100 T CWRNM	TTM 100 T CSNM	TTM 100 T CANM	TTM 100 T CBRNM
		•	•	•	•	•

SIDE TABLE			Ref: TTM 100TH...	
	A: 0,04 m³ TK: 0,042 m³		A: 17,7 kg TK: 13,15 kg	



		TEAK	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM
		TK	WR	S	A	BR
CERAMIC	BS	TTM 100 TH CBS	TTM 100 TH CWRBS	TTM 100 TH CSBS	TTM 100 TH CABS	TTM 100 TH CBRBS
		•	•	•	•	•
	TG	TTM 100 TH CTG	TTM 100 TH CWR TG	TTM 100 TH CSTG	TTM 100 TH CATG	TTM 100 TH CBR TG
		•	•	•	•	•
	WUM	TTM 100 TH CWUM	TTM 100 TH CWRWUM	TTM 100 TH CSWUM	TTM 100 TH CAWUM	TTM 100 TH CBRWUM
		•	•	•	•	•
	ZUM	TTM 100 TH CZUM	TTM 100 TH CWRZUM	TTM 100 TH CSZUM	TTM 100 TH CAZUM	TTM 100 TH CBRZUM
		•	•	•	•	•
	TR	TTM 100 TH CTR	TTM 100 TH CWRTR	TTM 100 TH CSTR	TTM 100 TH CATR	TTM 100 TH CBRTR
		•	•	•	•	•
	PG	TTM 100 TH CPG	TTM 100 TH CWRPG	TTM 100 TH CSPG	TTM 100 TH CAPG	TTM 100 TH CBRPG
		•	•	•	•	•
	CL	TTM 100 TH CCL	TTM 100 TH CWRCL	TTM 100 TH CSCL	TTM 100 TH CACL	TTM 100 TH CBRCL
		•	•	•	•	•
	VB	TTM 100 TH CVB	TTM 100 TH CWRVB	TTM 100 TH CSVB	TTM 100 TH CAVB	TTM 100 TH CBRVB
		•	•	•	•	•
	NM	TTM 100 TH CNM	TTM 100 TH CWRNM	TTM 100 TH CSNM	TTM 100 TH CANM	TTM 100 TH CBRNM
		•	•	•	•	•

TEA TIME SPECIFICATIONS

SIDE TABLE			Ref: TTM 120T...	
	A: 0,043 m³ TK: 0,049 m³		A: 24,8 kg TK: 19 kg	



		TEAK	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM
		TK	WR	S	A	BR
CERAMIC	BS	TTM 120 T CBS	TTM 120 T CWRBS	TTM 120 T CSBS	TTM 120 T CABS	TTM 120 T CBRBS
		•	•	•	•	•
	TG	TTM 120 T CTG	TTM 120 T CWR TG	TTM 120 T CSTG	TTM 120 T CATG	TTM 120 T CBR TG
		•	•	•	•	•
	WUM	TTM 120 T CWUM	TTM 120 T CWRWUM	TTM 120 T CSWUM	TTM 120 T CAWUM	TTM 120 T CBRWUM
		•	•	•	•	•
	ZUM	TTM 120 T CZUM	TTM 120 T CWRZUM	TTM 120 T CSZUM	TTM 120 T CAZUM	TTM 120 T CBRZUM
		•	•	•	•	•
	TR	TTM 120 T CTR	TTM 120 T CWRTR	TTM 120 T CSTR	TTM 120 T CATR	TTM 120 T CBRTR
		•	•	•	•	•
	PG	TTM 120 T CPG	TTM 120 T CWRPG	TTM 120 T CSPG	TTM 120 T CAPG	TTM 120 T CBRPG
		•	•	•	•	•
	CL	TTM 120 T CCL	TTM 120 T CWRCL	TTM 120 T CSCL	TTM 120 T CACL	TTM 120 T CBRCL
		•	•	•	•	•
	VB	TTM 120 T CVB	TTM 120 T CWRVB	TTM 120 T CSVB	TTM 120 T CAVB	TTM 120 T CBRVB
		•	•	•	•	•
	NM	TTM 120 T CNM	TTM 120 T CWRNM	TTM 120 T CSNM	TTM 120 T CANM	TTM 120 T CBRNM
		•	•	•	•	•

SIDE TABLE			Ref: TTM 120TH ...	
	A: 0,043 m³ TK: 0,052 m³		A: 25,2 kg TK: 19,2kg	
	63			



		TEAK	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM	COATED ALUMINIUM
		TK	WR	S	A	BR
CERAMIC	BS	TTM 120 TH CBS	TTM 120 TH CWRBS	TTM 120 TH CSBS	TTM 120 TH CABS	TTM 120 TH CBRBS
		•	•	•	•	•
	TG	TTM 120 TH CTG	TTM 120 TH CWR TG	TTM 120 TH CSTG	TTM 120 TH CATG	TTM 120 TH CBR TG
		•	•	•	•	•
	WUM	TTM 120 TH CWUM	TTM 120 TH CWRWUM	TTM 120 TH CSWUM	TTM 120 TH CAWUM	TTM 120 TH CBRWUM
		•	•	•	•	•
	ZUM	TTM 120 TH CZUM	TTM 120 TH CWRZUM	TTM 120 TH CSZUM	TTM 120 TH CAZUM	TTM 120 TH CBRZUM
		•	•	•	•	•
	TR	TTM 120 TH CTR	TTM 120 TH CWRTR	TTM 120 TH CSTR	TTM 120 TH CATR	TTM 120 TH CBRTR
		•	•	•	•	•
	PG	TTM 120 TH CPG	TTM 120 TH CWRPG	TTM 120 TH CSPG	TTM 120 TH CAPG	TTM 120 TH CBRPG
		•	•	•	•	•
	CL	TTM 120 TH CCL	TTM 120 TH CWRCL	TTM 120 TH CSCL	TTM 120 TH CACL	TTM 120 TH CBRCL
		•	•	•	•	•
	VB	TTM 120 TH CVB	TTM 120 TH CWRVB	TTM 120 TH CSVB	TTM 120 TH CAVB	TTM 120 TH CBRVB
		•	•	•	•	•
	NM	TTM 120 TH CNM	TTM 120 TH CWRNM	TTM 120 TH CSNM	TTM 120 TH CANM	TTM 120 TH CBRNM
		•	•	•	•	•